### UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Region III Environmental Science Center 701 Mapes Road Fort Meade, MD 20755

October 24, 2007

## MEMORANDUM

CONFIDENTIAL ATTORNEY-CLIENT PRIVILEGE

SUBJECT: NPDES Compliance Evaluation Inspection

FROM:

Joe Reyna III

OECEJ (3EC10)

Environmental Scientist, Fort Meade Office

THRU:

Paul Dressel

OECEJ (3EC10)

Chief, Enforcement and Compliance Assistance Branch

(3WP31)

TO:

Angela McFadden WPD

Chief, NPDES Branch

Attached you will find a copy of the Compliance Evaluation Inspection report for Potomac Electric Power Company Benning Road Generating Station inspection conducted on August 24, 2007.

### Summary of Findings:

- 1. On the date of the inspection, an oil spill (<5 gallons) was observed near outfall #401.
- 2. 8 out of the 11 members of the pollution prevention team had not received their annual storm water pollution prevention training.
- 3. PEPCO's NPDES Permit (DC0000094) was issued to the facility on November 17, 2000 and expired on November 16, 2005. The facility has submitted their permit renewal application, and they are awaiting their new permit.

Should you have any questions regarding the attached report, please feel free to contact this office at (410) 305-2779.



# United States Environmental Protection Agency Washington, D.C. 20460

# Water Compliance Inspection Report

Form Approved
OMB No.
2040-0057
Approval
Expires 831-98

=	SECTION A.	NATIONAL DATA SYSTEM CODING	2 (I = DOC)	
Transaction Code	NPDES			2001
Туре		NE NE NE PER PER PER PER PER PER PER PER PER PE	Inspection Type Inspector	Fac
1 <u>N</u> 2 <u>5</u> 3	DC0000094	12 07/08/24 1	M202	.0 <u>2</u>
21			Remarks 66	
Inspection Work Days Facility S	Self-Monitoring Evaluation Rating	B1 QA	Reserved	
67 69 70		71 _ 72	73 74 75	
_ 80			/. /3	
	SECTIO	N B: FACILITY DATA		
Name and Location of Facilit	y Inspected (For industrial users	discharging to	Entry Time/Date	Permit Effective Date
POTW, also inclu PEPCO	de POTW name and NPDES pe	ermit number)	0930 / 8-24-07	11/17/00
Benning Road Generating 3	Station			
Washington, DC 20019			Exit Time/Date	Permit Expiration Date
140			1530 / 8-24-07	11/16/05
Name(s) of On-Site Represer	ntative(s)/Title(s)/Phone and Fax	Number(s)	Other Facility Data	
Fafiba Mahvi/Senior Engine	eer202-331-6641		4	B 2
Name, Address of Responsib S. A. Wisniewski/ VP Opera	le Official/Title/Phone and Fax N	Number		
	treet, NW; Washington, DC 20	068		
ii.				
Contac		es x No		
		ATED DURING INSPECTION (Chec	ck only those areas systemated	
x Permit	x Flow Measurement	_ Operations & Maintenar	nceCSO/SSO	
x Records/Reports	x Self Monitoring	Program Sludge Ha	(SewerOverflow) ndling & Disposal	
× <del></del>	_ Pollution Prevention		January and American	
_ Facility Site Review	_ Compliance Schedules	_ Pretreatment	_	
_ Effluent/Receiving Waters Other:	_x Laboratory	x Storm Water		-
	SUMMARY OF FINDINGS/CON	MENTS (Attach additional sheets	of parrative and checklists as	· · · · · · · · · · · · · · · · · · ·
necessary)			or narrative and checklists as	
Name(s) and Signature(s) of I	nspector(s)	Agency/Office/Phone ar	nd (Fax) Numbers	Date
Joe Reyna III		EPA/OECEJ-FIP/410-305-2779	(-3093) 8/24/07	
Con May	7			
The state of the s			(7)	91
Signature of Management Q A	. Reviewer	Agency/Office/Phone and	f Fax Numbers	
Date	<u> </u>			

# NPDES Compliance Evaluation Inspection

Potomac Electric Power Company (PEPCO) Benning Road Generating Station 3400 Benning Road, NE, Washington, D.C. 20019 NPDES No. DC0000094

Inspection: August 24, 2007 Joe Reyna III- OECEJ (3EC10) Final Report- OCT 3 0 2007



# United States Environmental Protection Agency Washington, D.C. 20460

# **Water Compliance Inspection Report**

Form Approved
OMB No.
2040-0057
Approval
Expires 831-98

	SECTION A:	NATIONAL DATA	A SYSTEM COD	ING (i.e., PCS)		
Transaction Code Type	NPDES	yr/i	mo/day	Inspection Type	Inspector	Fac
	DC0000094	12 <u>07/</u>	<u>08/</u> 24	18 <u>C</u>	19 <u>J</u> 2	0 <u>2</u>
2.1				Remarks	7.0	
21Inspection Work Days Facility Se	elf-Monitoring Evaluation Rating	B1	QA		6 Reserved	
67 69 70	and an isother and the first the first property of the second of the sec	71 _	72 _	73 74	www.	
_ 80		·	,	/3 /4	7.5	
	SECTION	ON B: FACILITY	DATA			
Name and Location of Facility			- AIA	Entry Time	/Date	Permit Effective Date
	le POTW name and NPDES p			0930 / 8-24-0		11/17/00
Benning Road Generating S 3400 Benning Road	tation			Exit Time/D		
Washington, DC 20019				12 79(1940)		Permit Expiration Date
				1530 / 8-24-0	,	11/16/05
Name(s) of On-Site Represent Fafiba Mahvi/Senior Engineer		ex Number(s)		Other Facility I	Data	
Failba Mailvi/Seliioi Eligiile	81202-031-0041					
Name Address of Bessessible	o Official (Title /Phone and Four	Number		_		
Name, Address of Responsible S. A. Wisniewski/ VP Operat	ions/202-372-2301					
@ PEPCO Hqs;701 Ninth St	reet, NW; Washington, DC 2	20068				
Contac	ted					
		Yes x No				
	SECTION C: AREAS EVAL				eas evaluated)	
<u>x</u> Permit	x Flow Measurement	_ Ope	erations & Mainte		CSO/SSO ewerOverflow)	
x Records/Reports	<u>x</u> Self Monitorin Pollution Prevention	g Program	_ Sludge	Handling & Disposa	ı	
_ Facility Site Review	_ Compliance Schedules		etreatment		222	
		Multimedia			*	
Effluent/Receiving Waters Other:	x Laboratory	-	x Storm Water	r.		_
SECTION D: S necessary)	SUMMARY OF FINDINGS/CO	MMENTS (Attack	n additional she	ets of narrative and	l checklists as	
Name(s) and Signature(s) of In	nspector(s)	Age	ency/Office/Phon	e and (Fax) Number	3	Date
Joe Reyna III		EPA/OECE.	J-FIP/410-305-27	779 (-3093)	8/24/07	
Acu Mit	7					
	110 (100)					
Signature of Management Q A Date	Reviewer	Ager	ncy/Office/Phone	and Fax Numbers		

. .:

## NPDES Compliance Evaluation Inspection Potomac Electric Power Company Benning Road Generating Station NPDES No. DC0000094 Inspection Summary

#### Introduction

On August 24, 2007, a NPDES CEI Inspection was conducted to evaluate the wastewater monitoring practices of Potomac Electric Power Company, Benning Road Generating Station, 3400 Benning Road, NE, Washington, D.C. 20019 (PEPCO). EPA inspectors reviewed records, interviewed personnel, conducted an inspection tour of the facility, and completed a NPDES 3560 Inspection Checklist. PEPCO, North American Energy Services, and DC Department of the Environment employees participated in the entrance conference. A sign-in sheet was passed around the conference table, and the names and phone numbers of all participants is attached to this report. Credentials were presented to facility personnel, upon entry.

#### **Permit Status**

PEPCO's NPDES Permit (DC0000094) was issued to the facility on November 17, 2000 and expired on November 16, 2005. The facility has submitted their permit renewal application, and they are awaiting their new permit. The facility is currently operating under their expired permit parameters and conditions.

### **Facility Description**

PEPCO consists of a generating station, a 230 kV switchyard, a 69 kV switchyard, fleet services, office and security services, transmission and distribution shops, transformer repair and testing shop, storage buildings, several parking areas, a hazardous waste/PCB handling storage facility, hazardous waste accumulation trailer, asbestos trailer, subsidiary and contractor facilities, and various outdoor storage areas. The facility is located on approximately 77 acres of land adjacent to the Anacostia River. The generating station is owned by Potomac Power Resources (PPR) [a wholly owned subsidiary of Pepco Energy Services (PES).] The generating station is comprised of two oil-fired steam generators each with a rated output of 275 megawatts. There are also two oil-fired package boilers for auxiliary and building services.

North American Energy Services (NAES) operates and maintains the Benning Rd. Generating Station for PEPCO. NAES maintains a staff of 23 that maintain/operate the generating station 24/7, with a minimum of 2 personnel per shift. The facility was not generating electricity, on the date of the inspection. The Benning Rd. Generating Station primarily generates electricity during the peak winter and summer seasons when demand is high. According to PEPCO staff, the facility is in full operation for approximately 30-35 days per year. The facility uses No. 2 fuel oil to start-up the plant, then, switches to No. 4 fuel oil for sustained operation. The facility stores approximately 4.2 million gallons of fuel on-site and maintains a SPCC plan.

Stormwater runoff from PEPCO is conveyed through a drain system and is discharged to the Anacostia River and city storm sewers at various outfalls. The majority of the storm water runoff from the service center is conveyed through a 36-inch to 54-inch storm drainpipe to the Anacostia River via Outfall 013 (see photographs 1-2).

There is a variety of permitted, process wastewater flows at PEPCO. These are included in the NPDES Permit. The majority of these flows are discharged to the Anacostia River via Outfall 013. The permitted discharges consist of: non-contact cooling water, cooling tower blowdown, oil/water separators, cooling tower basin wash water, stormwater, cooling water from boiler feed pumps, demineralization, regeneration wastes, groundwater infiltration sump water, fireside washing, and miscellaneous cleaning waste, and water for hydrostatic tank testing.

**On-Site Inspection** 

During the on-site inspection, several of the facility's outfalls were observed, as well as, the facility's in-house lab. A full listing of the facility's outfalls, with each outfall's location and monitoring requirements, is attached to this report.

The facility's in-house lab is used to monitor effluent samples for chlorine residual and pH. The monity's other effluent samples are shipped off-site to Gascoyne Laboratories, Inc. for analysis. The facility utilizes a GE Infrastructure Water and Process Technologies pH Meter. A review of the facility's calibration log book indicated the facility has been calibrating the instrument using a 3 point calibration before use, and the pH buffers were not expired.

After the lab was observed, outfall #013 was observed. Outfall #013 is the facility's largest outfall that discharges a combined waste stream of wastewater and stormwater. More specifically, outfall #013 discharges wastewater from 2 oil/water separators, non-contact cooling water, cooling tower blowdown, basin-cleaning wastes from two cooling towers, and stormwater from several locations within the facility. The outfall drains into the Anacostia River. On the date of the inspection, non-contact cooling water was observed exiting the outfall. The effluent was fairly clear with no visible floating solids or foam. The outfall appeared to be in good condition, on the date of the inspection (see photographs 1-2).

Since effluent was observed exiting outfall #013, the inspection team decided to capture a grab sample at monitoring point 201. Monitoring point 201 is an internal monitoring point that monitors the facility's industrial wastewater before it commingles with stormwater (after the waste streams commingle the effluent exits outfall #013). The grab sample was taken at approximately 12:25pm. The pH was 8.03 with a temperature of 28.6 degrees Celsius and was within permit parameters.

Outfalls #003, 416, 010, 402, and 401 were also observed during the on-site inspection. A description of the outfalls is attached to this report. The outfalls appeared to be in good condition, on the date of the inspection. However, an oil spill was observed near outfall #401. The type of oil or the cause of the spill was not known, at the time of the

inspection. The spill appeared to be <5 gallons of oil. The oil had soaked into the soil and was several feet up gradient from the stormwater outfall. Facility staff immediately called a clean-up crew to remediate the oil spill. Due to the size of the spill, there was no immediate danger to human health or the environment. The facility did have hay bails surrounding the nearest outfall (see photographs #3 & 5).

### Records Review

Discharge Monitoring Reports (DMR) and the facility's Stormwater Pollution Prevention Plan were reviewed as part of the inspection. The June 2007 DMR was reviewed along with all the supporting lab analysis and flow data used to generate the report. The DMR and supporting data appeared to be adequate, and there were no effluent violations reported for the period reviewed.

Upon review of the facility's Stormwater Pollution Prevention Plan, it was observed that a copy of the facility's Annual Site Compliance Evaluation and a list of PEPCO employees who received their annual stormwater pollution prevention training were not included in the plan. PEPCO staff stated that the documents requested were available electronically but had not yet been printed out and included in the plan. PEPCO staff stated they would mail a copy of the requested information. On September 04, 2007, Mr. Joe Reyna received, via certified mail, a copy of the requested information. The 2006 Annual Site Compliance Evaluation appeared to meet with permit parameters; however, the list of PEPCO employees who received the annual stormwater pollution prevention training failed to include 8 out of the 11 members of the pollution prevention team (see attachment).

Attachment(s):

Inspection Report & NPDES 3560 Checklist

Inspection Photographs

Sign-in Sheet

A list of PEPCO's Stormwater Pollution Prevention Team

A list of PEPCO's Outfalls and Monitoring Points

Correspondence from PEPCO regarding the 2006 Site Compliance Evaluation & a list of PEPCO employees who received the annual stormwater pollution prevention training.

SECTIONS F THRU L: COMPLETE ON ALL INSPECTIONS, AS APPROPRIATE. N/A = NOT APPLICABLE PERMIT					MIT NO.: DC0000094		
SECTION F – FACILITY AND PERMIT BACKGROUND							
ADDRESS OF PERMITTEE IF DIFFERENT FROM FACILITY (Including City, County and ZIP code)	IOUS INV	INVESTIGATION BY EPA/STATE					
Potomac Electric Power Company 701 Ninth Street, NW Washington, DC 20068	er drains w	ains were identified.					
SECTION G – RECORDS AND REPORTS					(6)		
RECORDS AND REPORTS MAINTAINED AS REQUIRED BY PERMIT.  DETAILS:	X YES _ NO _	N/A (Fur	ther explan	ation attac	hed		
(a) ADEQUATE RECORDS MAINTAINED OF:							
(i) SAMPLING DATE, TIME, EXACT LOCATION	*		X YES	_ NO	_ N/A		
(ii) ANALYSES DATES, TIMES			X YES	_ NO	_ N/A		
(iii) INDIVIDUAL PERFORMING ANALYSIS		X YES	_ NO	_ N/A			
(iv) ANALYTICAL METHODS/TECHNIQUES USED			X YES	_ NO	_ N/A		
(v) ANALYTICAL RESULTS (e.g., consistent with self-monitoring report data)		X YES	_ NO	_ N/A			
(b) MONITORING RECORDS (e.g., flow, pH, D.O., etc.) MAINTAINED FOR A MINIMUM OF INCLUDING ALL ORIGINAL STRIP CHART RECORDINGS (e.g., continuous monitoring is calibration and maintenance records).	instrumentation,	X YES	_ NO	_ N/A			
(c) LAB EQUIPMENT CALIBRATION AND MAINTENANCE RECORDS KEPT. On-site			*X YES		_ N/A		
(d) FACILITY OPERATING RECORDS KEPT INCLUDING LOGS FOR EACH TREATMENT	UNIT. Oil/water separator			_ NO			
(c) QUALITY ASSURANCE RECORDS KEPT.	83		X YES		arana E		
(f) RECORDS MAINTAINED OF MAJOR CONTRIBUTING INDUSTRIES (and their compliance PUBLICLY OWNED TREATMENT WORKS.		_YES	_ NO	X N/A			
SECTION H – PERMIT VERIFICATION							
INSPECTION OBSERVATIONS VERIFY THE PERMIT. X YES NO DETAILS: Unpermitted stormwater drains were included in newest permit application renewal.	_ N/A (Further explar	nation attac	ched	)			
(a) CORRECT NAME AND MAILING ADDRESS OF PERMITTEE.		1-	X YES	_ NO	_ N/A		
(b) FACILITY IS AS DESCRIBED IN PERMIT.		_	X YES	_ NO	_ N/A		
(c) PRINCIPAL PRODUCT(S) AND PRODUCTION RATES CONFORM WITH THOSE SET FOR APPLICATION.	ORTH IN PERMIT		X YES	_ NO	_ N/A		
(d) TREATMENT PROCESSES ARE AS DESCRIBED IN PERMIT APPLICATION. Oil/Water Separator X YES				_ N/A	78		
(c) NOTIFICATION GIVEN TO EPA/STATE OF NEW, DIFFERENT OR INCREASED DISCHA	X YES	_ NO	_ N/A				
(f) ACCURATE RECORDS OF RAW WATER VOLUME MAINTAINED.		YES	_ NO	X N/A			
(g) NUMBER AND LOCATION OF DISCHARGE POINTS ARE AS DESCRIBED IN PERMIT.	2	X YES	_ NO	_ N/A			
(h) CORRECT NAME AND LOCATION OF RECEIVING WATERS. Anacostia River			X YES	_ NO	_ N/A		
(i) ALL DISCHARGES ARE PERMITTED.			X YES	_ NO	_ N/A		
Comments: The facility's contract lab was not inspected. The facility's lab monitors for chlo	orine residual and pH. A	All other sa	amples are	sent to a	contract lab.		

	PEI	RMIT NO.	DC0000094	
SECTION I - OPERATION AND MAINTENANCE	· ·			
	N/A (Further expl	anation atta	ched	)
DETAILS: Oil/ water separators				
(a) STANDBY POWER OR OTHER EQUIVALENT PROVISIONS PROVIDED.		X YES		_ N/A
(b) ADEQUATE ALARM SYSTEM FOR POWER OR EQUIPMENT FAILURES AVAILABLE.	X YES	_ NO	_ N/A	
(c) REPORTS ON ALTERNATE SOURCE OF POWER SENT TO EPA/STATE AS REQUIRED BY PERMIT.		_ YES	_ NO	<u>X</u> N/A
(d) SLUDGES AND SOLIDS ADEQUATELY DISPOSED.		X YES	_ NO	_ N/A
(e) ALL TREATMENT UNITS IN SERVICE.		X YES	_ NO	_ N/A
(f) CONSULTING ENGINEER RETAINED OR AVAILABLE FOR CONSULTATION ON OPERATION AND MAINTENANCE PROBLEMS.		X YES	_ NO	_ N/A
(g) QUALIFIED OPERATING STAFF PROVIDED. The only treatment units are oil/water separators.		_ YES	_ NO	X N/A
(b) ESTABLISHED PROCEDURES AVAILABLE FOR TRAINING NEW OPERATORS.		_ YES	_ NO	X N/A
(i) FILES MAINTAINED ON SPARE PARTS INVENTORY, MAJOR EQUIPMENT SPECIFICATIONS, AND PARTS AND EQUIPMENT SUPPLIERS.		X YES	_ NO	_ N/A
(j) INSTRUCTIONS FILES KEPT FOR OPERATION AND MAINTENANCE OF EACH ITEM OF MAJOR EQUIPMENT.		X YES	_ NO	_ N/A
(k) OPERATION AND MAINTENANCE MANUAL MAINTAINED.		X YES	_ NO	_ N/A
(I) SPCC PLAN AVAILABLE.	X_YES	_ NO	_ N/A	
(m) REGULATORY AGENCY NOTIFIED OF BY-PASSING. (Dates)	_ YES	_ NO	<u>X</u> N/A	
(n) ANY BY-PASSING SINCE LAST INSPECTION.	_ YES	_ NO	<u>X</u> N/A	
(o) ANY HYDRAULIC AND/OR ORGANIC OVERLOADS EXPERIENCED.		_YES	_ NO	<u>X</u> N/A
29 T				
e de la companya del companya de la companya del companya de la co				
6				
×				

SECTION J - COMPLIANCE SCHEDULES

PERMITTEE IS MEETING COMPLIANCE SCHEDULE.	_YES _ NO	<u>X</u> N/A	(Further	explanatio	n attached _	)
CHECK APPROPRIATE PHASE(S):					iii	
_ (a) THE PERMITTEE HAS OBTAINED THE NECESSARY APPROVALS FROM	I THE APPROPRIATE	AUTHORI	TIES TO	BEGIN CO	NSTRUCT	ION.
_ (b) PROPER ARRANGEMENT HAS BEEN MADE FOR FINANCING (mortgage	commitments, grants,	etc.).				
_ (c) CONTRACTS FOR ENGINEERING SERVICES HAVE BEEN EXECUTED.						
_ (d) DESIGN PLANS AND SPECIFICATIONS HAVE BEEN COMPLETED.						
_ (e) CONSTRUCTION HAS COMMENCED.						
_ (f) CONSTRUCTION AND/OR EQUIPMENT ACQUISITION IS ON SCHEDULE.	L <sub>a</sub>					
_ (g) CONSTRUCTION HAS BEEN COMPLETED.						
_ (h) START-UP HAS COMMENCED.						
_ (i) THE PERMITTEE HAS REQUESTED AN EXTENSION OF TIME.						
Comments:		22 <del>22 - 7 1</del> 1 1 2 2 2 2				
		(170)				
EPA FORM 3560-3				1	PAGE 3 OF	7.5
			PE	RMIT NO.	DC0000094	4
SECTION K – SELF-MONITORING PROGRAM						<del>K</del>
PART 1 – FLOW MEASUREMENT (Further explanation attached) PERMITTEE FLOW MEASUREMENT MEETS THE REQUIREMENTS AND INTENDETAILS:	T OF THE PERMIT.		X_YES	_ NO	_ N/A	
(a) PRIMARY MEASURING DEVICE PROPERLY INSTALLED.		7		X YES	_ NO	_ N/A
TYPE OF DEVICE _ WEIR _ PARSHALL FLUME	_ MAGMETER	_ VENTUE	NETE	R	_ OTHER	(Specify)
(b) CALIBRATION FREQUENCY ADEQUATE. (Date of last calibration			_YES	_ NO	<u>X</u> N/A	
(c) PRIMARY FLOW MEASURING DEVICE PROPERLY OPERATED AND MAINT.	AINED.		_YES	_ NO	<u>X</u> N/A	
(d) SECONDARY INSTRUMENTS (totalizers, recorders, etc.) PROPERLY OPERATED	D AND MAINTAINEI	Э.		_ YES	_ NO	X N/A
(e) FLOW MEASUREMENT EQUIPMENT ADEQUATE TO HANDLE EXPECTED R	ANGES OF FLOW RA	ATES.	X YES	_ NO	_ N/A	
PART 2 – SAMPLING (Further explanation attached) PERMITTEE SAMPLING MEETS THE REQUIREMENTS AND INTENT OF THE PE DETAILS: No composite samples are taken. All samples collected are grab samples.	RMIT.	.2	X YES	_ NO	_ N/A	
(a) LOCATIONS ADEQUATE FOR REPRESENTATIVE SAMPLES.				X YES	_ NO	_ N/A
(b) PARAMETERS AND SAMPLING FREQUENCY AGREE WITH PERMIT.				X YES	_ NO	_ N/A
(c) PERMITTEE IS USING METHOD OF SAMPLE COLLECTION REQUIRED BY PRIF NO, _ GRABMANUAL COMPOSITEAUTOMATIC COM	ERMIT. $X$ YES MPOSITE $X$ FREQU	_ NO JENCY <u>Wee</u>	_ N/A kly & Mo	onthly & Qu	aarterly dep	ending on outfall.
(d) SAMPLE COLLECTION PROCEDURES ARE ADEQUATE.		2	YES	_ NO	_ N/A	
(i) SAMPLES REFRIGERATED DURING COMPOSITING		-	_YES	_ NO	<u>X</u> N/A	
(ii) PROPER PRESERVATION TECHNIQUES USED				X YES	_ NO	_ N/A
(iii) FLOW PROPORTIONED SAMPLES OBTAINED WHERE REQUIRED BY P	ERMIT		YES	_ NO	X N/A	
(iv) SAMPLE HOLDING TIMES PRIOR TO ANALYSES IN CONFORMANCE W	TTH 40 CFR 136.3	2	X YES	_ NO	_ N/A	
(c) MONITORING AND ANALYSES BEING PERFORMED MORE FREQUENTLY T PERMIT. Occasionally	HAN REQUIRED BY			X YES	_ NO	_ N/A
(f) IF (e) IS YES, RESULTS ARE REPORTED IN PERMITTEE'S SELF-MONITORING	G REPORT.			X_YES	_ NO	_ N/A

X YES \_ NO \_ N/A

PART 3 – LABORATORY (Further explanation attached) PERMITTEE LABORATORY PROCEDURES MEET THE REQUIREMENTS AND INTENT OF THE PERMIT. DETAILS: The facility performs pH, and Cl2 on-site. The facility's contract lab was not inspected.	X YES	_ NO	_ N/A	
(a) EPA APPROVED ANALYTICAL TESTING PROCEDURES USED. (40 CFR 136.3)		X YES	_ NO	_ N/A
(b) IF ALTERNATE ANALYTICAL PROCEDURES ARE USED, PROPER APPROVAL HAS BEEN OBTAINED.	_YES	_ NO	<u>X</u> N/A	
(c) PARAMETERS OTHER THAN THOSE REQUIRED BY THE PERMIT ARE ANALYZED.	_ YES	X NO	_ N/A	
(d) SATISFACTORY CALIBRATION AND MAINTENANCE OF INSTRUMENTS AND EQUIPMENT. Maintained of	n-site. <u>X</u> Y	ES	_ NO	_ N/A
(e) QUALITY CONTROL PROCEDURES USED.		X YES	_ NO	_ N/A
(f) DUPLICATE SAMPLES ARE ANALYZED 10 & 5 % OF TIME.  10% for TSS and 5% for oil and grease samples.	<u>X</u> Y	ES	_ NO	_ N/A
(g) SPIKED SAMPLES ARE USED		X YES	_ NO	_ N/A
(h) COMMERCIAL LABORATORY USED.		X YES	_ NO	_ N/A
(i) COMMERCIAL LABORATORY STATE CERTIFIED.		_ YES	_ NO	<u>X</u> N/A
LAB NAME Gascoyne Laboratories, Inc.				
LAB ADDRESS 2101 Van Decet. Baltimore, Maryland 21224, Telephone: 410-633-1800				
Comments:				
			8	

EPA FORM 3560-3

PAGE 4 OF 5

						PERMIT NO. DC0000094		
SECTION L – EF	FLUENT/RECEIVI	NG WATER OBSE	RVATIONS (Further of	xplanation attached S	See photograph #1.	)		
OUTFALL NO.	OIL SHEEN	GREASE	TURBIDITY	VISIBLE FOAM	VISIBLE FLOAT SOLIDS	COLOR	OTHER	
013	none	none	mild	none	none	straw		
	**							
F							7.	
<del></del>								

(Sections M SECTION M – SAMPLING INSPECTION PROCEDURES	and N: Complete as appropriate fo AND OBSERVATIONS (Further	r sampling inspections) explanation attached	)	
_ GRAB SAMPLES OBTAINED				
_ COMPOSITE OBTAINED	NA			
FLOW PROPORTIONED SAMPLE				
AUTOMATIC SAMPLER USED		<u>N</u>		
_ SAMPLE SPLIT WITH PERMITTEE				
_ CHAIN OF CUSTODY EMPLOYED	a)			
_ SAMPLE OBTAINED FROM FACILITY'S SAMPLING DE	VICE			
COMPOSITING FREQUENCY	PRI	ESERVATION		
SAMPLE REFRIGERATED DURING COMPOSITING: SAMPLE REPRESENTATIVE OF VOLUME AND NATURE OF	_ YES _ NO  OF DISCHARGE	11		
SECTION N – ANALYTICAL RESULTS (Attach report if nec	cessary)			
				*
NA				
		**		
				E.
z *				
EPA FORM 3560-3			PAGE 5 OF	5

0. . . . . .